

2026 Uniform Wheat Variety Trial: HRWW, Blacklands Regional Summary

Rank [†]	Variety	Maturity	Height (in)	Yield (bu/a)							Test Wt (lb/bu)	Protein (%)
				AVG	Grandview	Hillsboro	McGregor	Muenster	Temple	Williamson Co.		
1	LCS Brazos	Med-Early	24	52.5	58.0	65.0	59.6	63.0	30.7	36.5	58.2	12.3
2	TX21A001421	Med-Late	27	51.7	59.3	59.6	56.4	75.5	27.2	32.7	59.0	12.9
3	Bob Dole	Early	28	49.7	74.6	59.0	53.9	49.9	25.5	34.5	57.0	13.5
4	TX21M5445	Early	27	48.5	63.2	61.2	52.5	52.9	26.5	34.4	59.2	13.8
5	GoWheat 9216H	Med-Late	25	47.4	60.4	59.6	48.3	57.4	26.8	33.3	58.3	13.9
6	High Cotton	Early	24	47.0	65.3	51.8	44.9	70.1	20.8	29.1	58.9	13.3
7	WB4347	Late	27	46.5	59.7	54.7	48.1	53.2	31.0	31.5	59.3	13.0
8	Amigos	Med-Late	29	46.3	51.1	53.7	48.6	61.7	31.6	33.3	57.6	14.0
9	AP Sunbird	Med-Early	23	46.1	62.3	54.7	43.1	60.7	26.4	28.7	57.6	13.0
10	TX20M4131	Late	29	46.1	57.1	54.6	43.5	58.2	33.9	29.1	58.9	12.5
11	TX18DH287	Late	30	46.1	48.9	55.8	46.4	62.5	29.4	31.2	58.6	12.5
12	Gallagher	Medium	24	44.7	53.2	50.4	40.5	64.4	29.3	28.9	58.4	13.2
13	High Cotton/ Smith's Gold	Medium	24	43.2	57.7	51.9	40.1	60.2	20.7	27.8	58.2	13.7
14	AP Tango	Med-Early	22	43.0	61.7	56.5	34.4	50.5	23.6	33.8	56.3	12.9
15	WB4418/ WB4523	Med-Early	22	43.0	59.3	54.2	43.6	58.4	17.6	22.7	56.3	13.5
16	WB4523	Early	20	42.5	57.9	57.6	45.1	54.6	13.3	26.3	55.9	13.1
17	OK21DTR1705-91	Med-Late	24	42.4	44.9	49.7	37.7	68.1	27.2	26.7	56.8	13.5
18	Trical Bighorn*	Med-Early	28	42.0	56.5	50.2	41.1	57.8	22.4	24.4	56.5	14.5
19	Amigos/ TAM 116	Med-Late	28	41.7	47.8	44.9	41.8	64.0	22.5	31.2	58.3	14.0
20	WB4792	Medium	27	41.3	56.0	49.0	39.2	55.1	19.2	31.4	60.2	13.7
21	TX18A001119	Med-Late	25	40.8	48.6	47.6	47.9	58.9	16.1	25.7	60.1	14.4
22	WB4418	Med-Early	24	40.8	56.3	56.2	40.6	43.9	23.6	23.0	56.7	14.0
23	Green Hammer	Med-Early	27	40.1	61.7	51.5	37.0	39.4	17.3	31.7	58.6	14.4
24	TAM 116	Medium	27	36.1	45.6	43.8	31.0	59.3	17.6	21.2	58.9	13.5
25	TX20A001186-1163*	Late	27	36.1	43.8	45.8	33.0	54.5	19.0	23.2	56.6	14.8
26	Smith's Gold	Medium	24	35.8	40.7	43.0	34.1	49.2	21.0	25.7	57.4	14.1
27	AP Prolific	Late	25	31.2	42.8	30.5	29.5	65.3	9.2	10.2	55.4	13.7
28	TX21A001006-1122*	Late	26	31.0	40.8	40.3	23.6	54.8	10.7	16.8	57.9	14.4
29	Ramsay	Very Late	27	12.2	8.1	12.9	7.4	35.5	4.9	5.6	53.0	15.2
30	Milestone	Very Late	25	11.7	15.1	11.4	5.3	22.1	6.6	10.1	49.7	13.7
	LSD (0.05)	--	1	2.9	8.9	4.9	5.4	12.2	4.3	5.6	0.4	0.3
	CV (%)	--	6	12.0	12.2	7.0	9.7	13.2	13.9	14.9	1.3	3.5
	Mean	--	26	40.9	51.9	49.2	39.9	56.0	21.7	26.7	57.5	13.6

*Awnless variety. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 6-location yield average

[§]Varietal blends contained 50% of each variety listed.

2026 Uniform Wheat Variety Trial: SRWW, Blacklands Regional Summary

Rank [†]	Variety	Maturity	Height (in)	Yield (bu/a)							Test Wt (lb/bu)	
				AVG	Grandview	Greenville	Hillsboro	McGregor	Muenster	Temple		Williamson Co.
1	AGS 4043	Med-Early	22	61.9	76.4	67.8	63.8	54.0	96.3	35.5	39.5	56.9
2	SC23W492	Med-Late	30	59.2	75.8	82.2	63.5	51.4	60.8	37.5	43.1	57.9
3	LA19333-NDH31	Medium	22	57.0	67.3	75.7	63.1	53.2	76.4	25.7	37.7	56.9
4	AGS 3518	Medium	25	56.9	69.7	75.7	61.8	36.7	91.8	27.5	35.3	56.5
5	TX21D6180	Med-Early	27	56.2	67.3	70.6	64.7	42.3	81.7	30.3	36.7	58.2
6	TX20D5145	Med-Early	26	56.2	74.3	72.8	63.5	36.5	82.8	27.0	36.8	56.7
7	SC22W198	Medium	28	56.2	76.6	58.5	65.5	46.6	74.4	34.3	37.5	57.0
8	GA18117-58NCDH-23E37F	Early	23	56.0	70.1	78.8	62.4	44.4	75.2	27.9	33.2	56.1
9	TX20D5056	Med-Late	31	55.9	62.8	78.1	58.8	46.1	70.2	31.0	44.5	56.3
10	LA17006-LDH42	Med-Early	25	55.4	75.5	78.1	58.2	45.6	69.5	30.5	30.2	58.5
11	GA161058-13-4-6-23E14	Med-Early	25	55.3	74.6	64.3	68.1	34.4	81.4	28.0	36.5	55.9
12	GA16388-8-3-7-23LE6	Medium	25	55.3	71.0	73.3	62.6	34.3	84.4	27.5	33.7	58.3
13	Blackland 2344	Med-Late	24	55.2	65.2	77.2	59.2	49.9	73.4	30.8	31.1	57.4
14	AGS 3022	Early	23	54.2	74.7	58.8	70.6	29.9	80.6	29.4	35.3	57.7
15	TX20D5116	Early	24	53.8	75.5	63.3	65.4	32.0	81.8	22.5	35.9	56.8
16	GA17034ID-22-3-5-23LE29	Med-Late	24	53.4	68.7	60.2	59.8	48.4	79.7	25.8	31.4	58.0
17	GA161243-15-5-8-23E47	Med-Early	27	53.4	69.0	77.1	57.1	43.3	62.0	27.9	37.3	56.3
18	SCNC15305-43	Late	28	52.3	58.7	70.6	50.4	49.9	82.4	26.2	27.6	55.9
19	Dyna-Gro 9623	Early	22	52.0	79.4	69.6	65.3	41.1	54.1	26.9	27.3	57.8
20	LAVT19VDH-FHB-MAS11-10	Early	24	51.3	67.3	53.7	60.4	37.1	87.3	22.6	30.8	56.1
21	USG 3246*	Medium	26	50.5	62.8	46.2	66.1	30.5	82.7	26.9	38.5	54.4
22	LA15093SB-30-3-3	Med-Early	24	50.3	64.4	59.7	48.7	31.6	97.1	20.9	29.3	56.2
23	LATX16D132W-50-3-2	Medium	25	49.9	58.9	70.0	53.0	24.5	95.2	22.8	24.9	56.0
24	GoWheat 6000	Early	24	49.9	70.5	59.7	61.1	29.2	72.7	21.3	34.6	56.1
25	FLLA16124LDH-51	Early	24	49.5	73.1	59.1	64.3	19.9	78.5	25.1	26.3	57.2
26	Blackland 2648 EXP	Late	25	49.4	65.4	74.5	54.5	25.1	72.1	28.5	25.5	55.0
27	SCLA19WF2110	Med-Late	26	48.5	59.5	71.0	52.7	27.0	77.3	25.0	27.3	56.9
28	FL180013-075	Early	26	46.0	65.4	48.2	55.5	34.9	73.8	18.7	25.6	57.4
29	Dyna-Gro 9632	Med-Late	25	45.4	67.3	72.6	49.1	11.8	80.1	13.8	23.2	53.8
30	Dyna-Gro 9593	Late	27	43.6	57.0	67.5	47.3	21.8	65.7	30.5	15.2	53.3
31	Blackland 2445	Med-Late	25	43.4	63.2	73.5	54.1	17.4	62.3	19.9	13.5	54.3
32	USG 3354*	Medium	24	42.9	58.0	57.1	47.0	15.3	71.1	23.1	28.5	54.2
33	Blue River 861	Late	28	41.6	52.1	65.5	42.3	18.0	73.9	19.7	19.6	52.7
34	Dyna-Gro 9393	Late	25	40.8	51.7	64.9	40.8	19.0	65.2	21.9	21.9	53.6
35	Blackland 2167	Med-Late	25	38.9	53.1	64.5	39.5	14.8	63.5	23.5	13.6	54.3
36	Blackland 2640 EXP	Late	27	31.6	29.0	63.5	28.6	10.4	63.2	15.3	11.2	53.6
37	Dyna-Gro 9151	Late	27	29.0	28.0	55.7	24.2	7.1	63.8	11.7	12.8	54.1
38	Dyna-Gro 9172	Late	26	27.8	26.1	48.9	24.0	8.0	57.4	11.2	19.0	54.1
39	Pioneer P25R402	Very Late	25	19.3	9.1	44.6	11.3	4.2	47.4	10.5	8.3	51.1
	LSD (0.05)	--	1	3.2	7.9	6.9	7.1	6.3	15.8	5.1	6.3	0.7
	CV (%)	--	5	10.8	7.7	6.4	8.1	12.3	13.0	12.7	13.4	1.9
	Mean	--	25	48.9	62.4	66.0	54.1	31.5	74.6	24.7	28.7	55.9

*Awnless variety. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 7-location yield average

Texas A&M Hard Red Winter Wheat Multi-Year Summary

Blacklands (Ennis, Grandview, Greenville, Hillsboro, McGregor, Muenster, Temple, Williamson Co.)

Rank [†]	Name	4 Years [‡]	3 Years			2 Years		
		16 loc/yrs	14 loc/yrs			12 loc/yrs		
		Yield	Yield	TW	Protein	Yield	TW	Protein
		Bu/A	Bu/A	(lb/bu)	(%)	Bu/A	(lb/bu)	(%)
1	Bob Dole	52.9	52.1	57.7	12.8	50.1	57.7	12.9
2	High Cotton	52.1	53.0	58.9	12.6	49.8	59.0	12.6
3	GoWheat 9216H	51.7	51.1	58.6	13.2	49.4	58.6	13.3
4	Amigos	48.4	47.2	57.6	13.5	45.9	57.8	13.5
5	WB4418	47.7	47.2	57.1	13.3	46.1	57.2	13.3
6	WB4523	46.9	46.1	55.8	12.4	43.9	56.0	12.4
7	TX18A001119	46.5	46.9	60.2	13.6	45.1	60.5	13.6
8	Smith's Gold	43.1	43.3	58.0	13.3	40.5	58.0	13.4
9	TX18DH287		48.3	58.1	11.8	46.2	58.3	11.8
10	Gallagher		46.9	58.3	12.6	45.9	58.4	12.6
11	AP Prolific		42.7	56.9	12.9	40.5	57.0	13.0
12	AP Sunbird					47.7	57.5	12.2
13	TX20M4131					47.3	59.3	11.9
14	High Cotton/ Smith's Gold					46.9	58.6	13.0
15	WB4418/ WB4523					46.1	56.7	12.8
16	Green Hammer					45.7	58.5	13.9
17	Amigos/TAM 116					44.2	58.3	13.5
18	TAM 116					40.3	59.1	12.9
	LSD (0.05)	1.9	2.0	0.3	0.2	2.0	0.3	0.2
	CV (%)	10.8	10.7	1.1	3.4	10.5	1.1	3.4
	Mean	48.7	47.8	57.9	12.9	45.6	58.1	12.9

Bolded values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, then 2-year yield averages.

[‡]Data from 2026, 2025, 2024, and 2023 used for multi-year analysis.

Texas A&M Soft Red Winter Wheat Multi-Year Summary- Blacklands
(Ennis, Grandview, Hillsboro, McGregor, Muenster, Greenville, Temple, Williamson Co.)

		4 Years [‡] 17 loc/yrs	3 Years 15 loc/yrs		2 Years 13 loc/yrs	
Rank [†]	Name	Yield Bu/A	Yield Bu/A	TW lb/bu	Yield Bu/A	TW lb/bu
1	AGS 3022	61.3	60.3	58.3	58.9	58.4
2	Blackland 2344	59.6	60.1	58.2	58.9	58.3
3	TX20D5116	56.2	54.1	57.1	51.5	57.3
4	GoWheat 6000	55.3	54.7	56.7	53.2	56.8
5	Dyna-Gro 9393	49.7	50.2	55.3	48.0	55.3
6	Dyna-Gro 9172	38.3	40.0	55.1	37.7	55.4
7	TX20D5056		55.6	56.3	54.5	56.5
8	USG 3354*		53.5	55.6	50.5	55.5
9	TX20D5145		53.0	56.2	50.5	56.1
10	Dyna-Gro 9593		51.0	55.1	48.6	55.0
11	LA19333-NDH31				58.5	57.3
12	GA18117-58NCDH-23E37F				56.6	57.2
13	SCLA19WF2110				52.9	57.8
14	Dyna-Gro 9151				38.7	56.2
	LSD (0.05)	1.9	2.0	0.4	2.2	0.4
	CV (%)	9.7	9.6	1.5	9.6	1.5
	Mean	53.4	53.3	56.4	51.4	56.7

*Awnless Variety **Bolded** values indicate top group based on LSD

[†]Varieties ranked according to 4-year, 3-year, then 2-year yield averages.

[‡]Data from 2026, 2025, 2024, then 2023 used for multi-year analysis

2026 Uniform Wheat Variety Trial: HRWW, Grandview (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)	Test Wt (lb/bu)	Protein (%)
1	Bob Dole	83	30	74.6	58.4	12.7
2	High Cotton	84	26	65.3	60.0	12.8
3	TX21M5445	87	30	63.2	58.4	13.7
4	AP Sunbird	84	26	62.3	57.9	11.7
5	AP Tango	84	26	61.7	56.5	12.2
6	Green Hammer	83	32	61.7	59.8	14.0
7	GoWheat 9216H	90	27	60.4	59.0	13.2
8	WB4347	92	30	59.7	59.9	12.4
9	TX21A001421	91	30	59.3	59.7	12.9
10	WB4418/ WB4523	86	25	59.3	56.4	13.2
11	LCS Brazos	88	27	58.0	58.2	11.9
12	WB4523	84	24	57.9	56.0	13.4
13	High Cotton/ Smith's Gold	84	25	57.7	59.6	12.7
14	TX20M4131	91	29	57.1	59.5	12.3
15	Trical Bighorn*	85	31	56.5	57.3	13.5
16	WB4418	88	25	56.3	57.3	13.7
17	WB4792	89	30	56.0	60.9	13.2
18	Gallagher	89	27	53.2	59.2	12.8
19	Amigos	91	32	51.1	57.3	13.7
20	TX18DH287	91	32	48.9	58.9	12.7
21	TX18A001119	91	29	48.6	60.6	13.9
22	Amigos/ TAM 116	89	32	47.8	58.8	13.6
23	TAM 116	89	30	45.6	59.0	13.6
24	OK21DTR1705-91	91	25	44.9	57.2	12.7
25	TX20A001186-1163*	92	28	43.8	57.2	14.1
26	AP Prolific	95	28	42.8	56.9	13.0
27	TX21A001006-1122*	91	29	40.8	58.9	13.4
28	Smith's Gold	91	27	40.7	58.5	13.6
29	Milestone	104	26	15.1	50.2	13.3
30	Ramsay	107	28	8.1	56.1	14.5
	LSD (0.05)	2	2	8.9	1.2	0.8
	CV (%)	2	5	12.2	1.5	4.2
	Mean	89	28	51.9	58.1	13.2

*Awnless Variety. Yields adjusted to standard moisture of 13.5%.

Bolded values indicate top group based on LSD.

[†]Varieties ranked according to 2026 yield averages.

[§]Varietal blends contained 50% of each variety listed.

Agronomic Information

Planting Date:	14-Nov
Seeding Rate (seed/ac):	750,000
Harvest Date:	26-May
Previous Crop:	Wheat
Radar Estimated Rainfall (in):	16.96"

Herbicides: N/A

Trial Notes:

1. The trial was located less than 1 miles northwest of Grandview, TX.
2. The trial was fertilized preplant and topdressed by the cooperator.
3. This was the first year for this trial.

Cooperator: Davis Farms

TEXAS A&M
AGRILIFE
EXTENSION

2026 Uniform Wheat Variety Trial: SRWW, Grandview (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield	Test Wt	Protein
				(bu/a) 2026	(lb/bu) 2026	(%) 2026
1	Dyna-Gro 9623	84	24	79.4	60.0	11.8
2	SC22W198	86	29	76.6	60.1	11.9
3	AGS 4043	85	24	76.4	58.8	12.6
4	SC23W492	93	33	75.8	59.9	12.1
5	TX20D5116	83	26	75.5	58.5	11.4
6	LA17006-LDH42	84	29	75.5	59.8	12.1
7	AGS 3022	83	25	74.7	59.4	11.8
8	GA161058-13-4-6-23E14	84	29	74.6	58.2	13.5
9	TX20D5145	83	30	74.3	58.0	12.3
10	FLLA16124LDH-51	83	26	73.1	59.2	11.7
11	GA16388-8-3-7-23LE6	89	26	71.0	60.8	12.8
12	GoWheat 6000	83	25	70.5	58.6	12.4
13	GA18117-58NCDH-23E37F	83	26	70.1	58.3	12.9
14	AGS 3518	87	29	69.7	58.2	12.5
15	GA161243-15-5-8-23E47	84	29	69.0	58.3	12.7
16	GA17034ID-22-3-5-23LE29	90	25	68.7	60.3	13.7
17	LA19333-NDH31	86	23	67.3	58.4	12.3
18	Dyna-Gro 9632	88	27	67.3	56.3	11.1
19	TX21D6180	86	28	67.3	59.5	12.8
20	LAVT19VDH-FHB-MAS11-10	83	26	67.3	59.0	12.8
21	FL180013-075	83	31	65.4	59.5	12.4
22	Blackland 2648 EXP	97	25	65.4	57.5	12.3
23	Blackland 2344	88	25	65.2	59.7	12.7
24	LA15093SB-30-3-3	84	26	64.4	57.4	12.2
25	Blackland 2445	88	26	63.2	56.2	11.4
26	TX20D5056	92	31	62.8	57.6	12.6
27	USG 3246*	90	25	62.8	57.5	11.9
28	SCLA19WF2110	91	26	59.5	58.4	12.4
29	LATX16D132W-50-3-2	86	27	58.9	57.7	13.0
30	SCNC15305-43	99	29	58.7	57.9	13.3
31	USG 3354*	88	24	58.0	56.1	12.3
32	Dyna-Gro 9593	98	27	57.0	56.8	12.1
33	Blackland 2167	96	25	53.1	55.7	12.6
34	Blue River 861	97	30	52.1	55.5	13.1
35	Dyna-Gro 9393	96	26	51.7	55.6	12.3
36	Blackland 2640 EXP	96	27	29.0	54.2	12.2
37	Dyna-Gro 9151	99	26	28.0	54.2	14.5
38	Dyna-Gro 9172	101	26	26.1	55.2	11.8
39	Pioneer P25R402	107	26	9.1	51.7	14.3
	LSD (0.05)	2	2	7.9	1.0	0.6
	CV (%)	1	4	7.7	1.1	3.1
	Mean	89	27	62.4	57.8	12.5

*Awnless Variety. Yields adjusted to standard moisture of 13.5%.

Bolded values indicate top group based on LSD.

[†]Varieties ranked according to 2026 grain yield averages.

Agronomic Information

Planting Date:	14-Nov
Seeding Rate (lbs/ac):	68
Harvest Date:	26-May
Previous Crop:	Wheat
Radar Estimated Rainfall (in):	16.96"

Herbicides: N/A

Trial Notes:

1. The trial was located less than 1 mile northwest of Grandview, TX.
2. The trial was fertilized preplant and topdressed by the cooperator.
3. This was the first year for this trial.

Cooperator: Davis Farms

2026 Uniform Wheat Variety Trial: SRWW, Greenville (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)			Test Wt (lb/bu)	
				4-Year [‡]	3-Year	2-Year	2026	2026
1	Blackland 2344	86	30	74.7	75.6	73.9	77.2	57.9
2	GoWheat 6000	85	30	63.3	61.2	61.9	59.7	53.9
3	Dyna-Gro 9393	92	29		69.1	65.9	64.9	54.4
4	Dyna-Gro 9172	93	33		61.3	58.5	48.9	53.4
5	SCLA19WF2110	90	30			76.5	71.0	57.6
6	Dyna-Gro 9593	94	33			70.6	67.5	54.8
7	GA18117-58NCDH-23E37F	85	27			69.8	78.8	57.3
8	TX20D5056	95	38			67.4	78.1	56.4
9	LA19333-NDH31	88	25			66.7	75.7	57.7
10	USG 3354*	87	31			64.3	57.1	52.1
11	AGS 3022	84	24			63.8	58.8	56.2
12	TX20D5145	86	29			63.5	72.8	56.3
13	Dyna-Gro 9151	95	33			63.0	55.7	55.8
14	TX20D5116	85	27			54.5	63.3	55.7
15	SC23W492	89	37				82.2	58.1
16	LA17006-LDH42	88	29				78.1	58.8
17	GA161243-15-5-8-23E47	87	31				77.1	57.2
18	AGS 3518	85	33				75.7	57.7
19	Blackland 2648 EXP	94	30				74.5	55.0
20	Blackland 2445	86	30				73.5	53.2
21	GA16388-8-3-7-23LE6	87	31				73.3	58.0
22	Dyna-Gro 9632	88	31				72.6	54.4
23	TX21D6180	85	32				70.6	57.9
24	SCNC15305-43	95	33				70.6	57.0
25	LATX16D132W-50-3-2	87	30				70.0	56.5
26	Dyna-Gro 9623	86	24				69.6	55.5
27	AGS 4043	85	25				67.8	57.8
28	Blue River 861	93	34				65.5	54.5
29	Blackland 2167	88	31				64.5	54.2
30	GA161058-13-4-6-23E14	89	30				64.3	54.3
31	Blackland 2640 EXP	94	33				63.5	54.5
32	GA17034ID-22-3-5-23LE29	87	26				60.2	56.4
33	LA15093SB-30-3-3	86	26				59.7	53.1
34	FLLA16124LDH-51	84	27				59.1	56.0
35	SC22W198	87	33				58.5	55.5
36	LAVT19VDH-FHB-MAS11-10	83	30				53.7	55.6
37	FL180013-075	91	30				48.2	56.1
38	USG 3246*	87	28				46.2	49.1
39	Pioneer P25R402	96	30				44.6	53.0
	LSD (0.05)	2	3	4.2	4.4	4.9	6.9	1.8
	CV (%)	2	5	7.9	7.2	6.5	6.4	2.0
	Mean	89	30	69.0	66.8	65.7	66.0	55.6

*Awnless Variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year, then 2026 yield averages.

[‡]4-year average based on 2021, 2022, 2025 and 2026 data.

Agronomic Information	
Planting Date:	31-Oct
Seeding Rate (lbs/ac):	68
Harvest Date:	2-Jun
Previous Crop:	Corn
Radar Estimated Rainfall:	25.37"
Herbicides:	N/A

Trial Notes:
1. The trial was located approximately 4 miles northwest of Greenville, TX.
2. The trial was fertilized prior to seeding and topdressed by the cooperater.
3. Average yield was the same and test weight 3.2 lbs/bu less compared to 2025.

Cooperator: Texas A&M AgriLife

TEXAS A&M
AGRI LIFE
EXTENSION

2026 Uniform Wheat Variety Trial: HRWW, Hillsboro (Dryland)

Rank [†]	Variety [§]	Heading Date	Height (in)	Yield (bu/a)			Test Wt (lb/bu)	Protein (%)	
				4-Year [‡]	3-Year	2-Year	2026	2026	
1	Bob Dole	83	29	55.2	52.1	50.1	59.0	57.7	13.6
2	GoWheat 9216H	89	24	52.6	50.6	50.6	59.6	59.0	15.1
3	High Cotton	84	23	50.4	54.1	48.5	51.8	59.7	13.7
4	Amigos	90	28	48.7	48.2	46.1	53.7	58.1	14.9
5	WB4523	84	21	46.0	45.7	44.9	57.6	57.0	13.1
6	WB4418	85	24	45.0	43.3	48.5	56.2	58.0	14.3
7	TX18A001119	88	24	41.9	43.4	42.3	47.6	59.9	14.5
8	Smith's Gold	88	23	41.2	43.9	40.1	43.0	58.1	14.8
9	TX18DH287	91	32		51.3	51.6	55.8	59.3	13.0
10	Gallagher	89	24		45.7	43.9	50.4	58.8	14.6
11	AP Prolific	93	24		37.8	33.7	30.5	55.8	14.7
12	AP Sunbird	85	22			51.4	54.7	59.3	13.7
13	TX20M4131	91	28			50.2	54.6	58.8	13.6
14	High Cotton/ Smith's Gold	85	23			48.1	51.9	59.3	14.1
15	Green Hammer	84	25			47.0	51.5	58.9	14.7
16	WB4418/ WB4523	84	22			46.9	54.2	56.9	13.9
17	Amigos/ TAM 116	88	27			43.2	44.9	58.1	14.4
18	TAM 116	88	25			40.9	43.8	58.7	13.9
19	LCS Brazos	86	24				65.0	58.4	12.7
20	TX21M5445	84	29				61.2	59.1	14.5
21	TX21A001421	88	26				59.6	59.4	13.1
22	AP Tango	83	22				56.5	58.1	13.5
23	WB4347	90	26				54.7	59.7	14.4
24	Trical Bighorn	86	29				50.2	56.7	14.8
25	OK21DTR1705-91	89	24				49.7	58.1	14.4
26	WB4792	86	27				49.0	60.3	14.4
27	TX20A001186-1163*	90	26				45.8	57.6	15.5
28	TX21A001006-1122*	88	26				40.3	58.6	14.5
29	Ramsay	105	27				12.9	47.9	16.2
30	Milestone	104	24				11.4	46.7	15.5
	LSD (0.05)	1	2	3.5	3.5	3.8	4.9	0.8	0.5
	CV (%)	1	6	9.5	8.4	7.8	7.0	1.0	2.7
	Mean	88	25	47.6	46.9	46.0	49.2	57.7	14.3

*Awnless variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year, then 2026 yield averages.

[‡]4-year average based on 2023, 2024, 2025, and 2026 data.

[§]Varietal blends contained 50% of each variety listed.

Agronomic Information

Planting Date:	14-Nov
Seeding Rate (seed/ac):	650,000
Harvest Date:	20-May
Previous Crop:	Corn
Radar Estimated Rainfall (in):	13.41"

Herbicides: N/A

Trial Notes:

1. The trial was located approximately 4 miles northeast of Abbott, TX.
2. The trial was fertilized preplant and topdressed by the cooperator.
3. Average yield was up 26% and test weight 1.7 lb/bu less compared to 2025.

Cooperator: P&M Farms

2026 Uniform Wheat Variety Trial: SRWW, Hillsboro (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)				Test Wt	Protein
				4-Year [‡]	3-Year	2-Year	2026	(lb/bu)	(%)
1	AGS 3022	84	25	65.7	65.5	65.7	70.6	59.0	12.7
2	TX20D5116	84	24	57.0	54.1	51.9	65.4	58.9	12.5
3	Blackland 2344	87	24	55.1	58.1	56.4	59.2	58.7	13.9
4	GoWheat 6000	84	24	53.5	53.2	53.3	61.1	58.9	12.9
5	Dyna-Gro 9172	100	24	29.5	31.6	26.4	24.0	53.3	13.2
6	USG 3354*	88	22		51.5	46.7	47.0	54.7	13.1
7	TX20D5145	84	26		50.0	47.0	63.5	57.9	13.0
8	TX20D5056	90	32		49.8	48.7	58.8	56.6	13.7
9	Dyna-Gro 9393	95	24		49.0	45.2	40.8	53.4	14.0
10	LA19333-NDH31	86	22			59.5	63.1	58.0	13.8
11	GA18117-58NCDH-23E37F	83	23			57.8	62.4	58.2	13.4
12	SCLA19WF2110	92	26			47.1	52.7	57.7	14.1
13	Dyna-Gro 9151	100	25			27.8	24.2	53.1	16.0
14	GA161058-13-4-6-23E14	84	27				68.1	56.7	14.4
15	USG 3246*	89	26				66.1	57.8	12.8
16	SC22W198	87	28				65.5	58.3	13.2
17	Dyna-Gro 9623	83	23				65.3	59.8	12.5
18	TX21D6180	87	26				64.7	58.9	13.7
19	FLLA16124LDH-51	84	25				64.3	58.9	13.1
20	AGS 4043	85	23				63.8	58.4	13.4
21	SC23W492	87	31				63.5	58.8	13.2
22	GA16388-8-3-7-23LE6	87	25				62.6	60.3	13.5
23	AGS 3518	86	24				61.8	57.1	13.0
24	LAVT19VDH-FHB-MAS11-10	83	25				60.4	58.7	13.4
25	GA17034ID-22-3-5-23LE29	88	24				59.8	60.2	14.7
26	LA17006-LDH42	84	25				58.2	59.6	13.2
27	GA161243-15-5-8-23E47	84	26				57.1	57.1	14.3
28	FL180013-075	86	27				55.5	59.3	13.2
29	Blackland 2648 EXP	99	25				54.5	54.6	13.6
30	Blackland 2445	87	25				54.1	55.6	13.1
31	LATX16D132W-50-3-2	86	24				53.0	56.5	14.5
32	SCNC15305-43	97	29				50.4	54.6	14.6
33	Dyna-Gro 9632	88	23				49.1	55.5	12.8
34	LA15093SB-30-3-3	84	25				48.7	58.4	12.8
35	Dyna-Gro 9593	98	25				47.3	54.6	13.9
36	Blue River 861	96	26				42.3	50.9	14.4
37	Blackland 2167	94	24				39.5	53.5	13.9
38	Blackland 2640 EXP	96	26				28.6	52.8	13.2
39	Pioneer P25R402	104	22				11.3	47.6	15.3
	LSD (0.05)	2	2	3.6	4.0	5.0	7.1	1.0	0.4
	CV (%)	1	5	8.6	8.2	8.5	8.1	1.1	2.0
	Mean	89	25	51.2	50.9	48.3	54.1	56.8	13.6

*Awnless Variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year, then 2026 yield averages.

[‡]4-year average based on 2023, 2024, 2025 and 2026 data.

Agronomic Information

Planting Date:	14-Nov
Seeding Rate (lbs/ac):	68
Harvest Date:	20-May
Previous Crop:	Corn
Radar Estimated Rainfall (in):	13.41"

Herbicides: N/A

Trial Notes:

1. The trial was located approximately 4 miles northeast of Abbott, TX.
2. The trial was fertilized preplant and topdressed by the cooperator.
3. Average yield was 22% higher and test weight 1.4 lower compared to 2025.

Cooperator: P&M Farms

**TEXAS A&M
AGRI LIFE
EXTENSION**

2026 Uniform Wheat Variety Trial: HRWW, McGregor (Dryland)

Rank [†]	Variety [§]	Heading Date	Height (in)	Yield (bu/a)			Test Wt (lb/bu)	Protein (%)	
				4-Year [‡]	3-Year	2-Year	2026	2026	
1	GoWheat 9216H	90	24	53.1	53.8	53.9	48.3	59.1	14.0
2	Bob Dole	81	27	52.5	55.2	56.2	53.9	57.8	13.7
3	Amigos	89	27	49.7	49.8	46.9	48.6	57.7	14.0
4	WB4523	78	20	48.6	49.6	44.7	45.1	58.5	12.9
5	WB4418	86	23	48.5	48.5	47.0	40.6	57.7	14.5
6	TAM 116	89	24	41.5	44.4	34.9	31.0	59.2	13.4
7	High Cotton	76	25		54.0	54.4	44.9	60.4	13.7
8	TX18A001119	88	24		50.8	51.6	47.9	60.7	14.2
9	Smith's Gold	88	22		43.3	39.8	34.1	57.5	14.3
10	TX18DH287	90	28			50.1	46.4	58.7	12.0
11	TX20M4131	91	26			48.2	43.5	58.6	12.1
12	High Cotton/ Smith's Gold	79	22			48.0	40.1	59.7	13.5
13	WB4418/ WB4523	77	21			47.2	43.6	58.4	13.3
14	Green Hammer	81	26			46.5	37.0	59.6	14.9
15	Amigos/ TAM 116	89	27			45.0	41.8	57.7	13.7
16	Gallagher	87	23			44.7	40.5	58.7	13.2
17	AP Prolific	92	23			39.4	29.5	54.1	13.7
18	LCS Brazos	88	24				59.6	59.3	12.4
19	TX21A001421	89	26				56.4	57.7	12.6
20	TX21M5445	78	28				52.5	60.7	13.8
21	WB4347	90	26				48.1	59.8	12.3
22	AP Sunbird	85	21				43.1	59.5	13.0
23	Trical Bighorn	81	27				41.1	56.6	14.4
24	WB4792	88	24				39.2	60.1	14.1
25	OK21DTR1705-91	90	22				37.7	56.8	13.4
26	AP Tango	81	19				34.4	58.4	13.2
27	TX20A001186-1163*	92	28				33.0	55.6	14.7
28	TX21A001006-1122*	91	24				23.6	56.6	14.9
29	Ramsay	107	28				7.4	--	--
30	Milestone	106	24				5.3	--	12.8
	LSD (0.05)	2	2	2.8	3.4	3.7	5.4	0.9	0.6
	CV (%)	2	6	8.5	8.4	7.7	9.7	1.1	3.2
	Mean	87	24	49.0	49.9	46.9	39.9	58.4	13.5

*Awnless variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year, then 2026 yield averages.

[‡]4-year average based on 2022, 2023, 2025, and 2026 data.

[§]Varietal blends contained 50% of each variety listed.

Agronomic Information

Planting Date:	11-Nov
Seeding Rate (seed/ac):	750,000
Harvest Date:	15-May
Previous Crop:	Corn
Radar Estimated Rainfall (in):	13.98"

Herbicides: Ally (0.1oz) and Amber (0.3oz) were applied on December 15th.

Huskie (11oz) and Axial Bold (15oz) were applied on January 13th.

Trivapro (11oz) was applied on March 19th.

Trial Notes:

1. The trial was located approximately 5.5 miles southwest of McGregor, TX.
2. The trial was fertilized prior to seeding at a rate of 19N, 64P. An additional 63N was applied on January 12th.
3. Average yield was 18% lower and test weight 1.8 lb/bu less compared to 2025.

Cooperator: Texas A&M AgriLife

2026 Uniform Wheat Variety Trial: SRWW, McGregor (Dryland)

Rank [†]	Variety	Height (in)	Yield (bu/a)			
			4-Year [‡]	3-Year	2-Year	2026
1	Blackland 2344	20	64.2	64.1	63.0	49.9
2	GoWheat 6000	20	53.0	52.8	46.6	29.2
3	Dyna-Gro 9393	19	45.6	42.8	41.7	19.0
4	Dyna-Gro 9172	21	34.9	28.7	29.0	8.0
5	AGS 3022	23		60.1	54.4	29.9
6	TX20D5116	22		58.5	49.1	32.0
7	LA19333-NDH31	19			61.9	53.2
8	GA18117-58NCDH-23E37F	21			59.5	44.4
9	TX20D5056	26			56.2	46.1
10	SCLA19WF2110	21			47.8	27.0
11	TX20D5145	22			45.3	36.5
12	USG 3354*	19			42.8	15.3
13	Dyna-Gro 9593	24			40.1	21.8
14	Dyna-Gro 9151	21			26.1	7.1
15	AGS 4043	19				54.0
16	SC23W492	23				51.4
17	SCNC15305-43	25				49.9
18	GA17034ID-22-3-5-23LE29	21				48.4
19	SC22W198	25				46.6
20	LA17006-LDH42	21				45.6
21	GA161243-15-5-8-23E47	23				43.3
22	TX21D6180	22				42.3
23	Dyna-Gro 9623	20				41.1
24	LAVT19VDH-FHB-MAS11-10	22				37.1
25	AGS 3518	21				36.7
26	FL180013-075	21				34.9
27	GA161058-13-4-6-23E14	19				34.4
28	GA16388-8-3-7-23LE6	21				34.3
29	LA15093SB-30-3-3	21				31.6
30	USG 3246*	22				30.5
31	Blackland 2648 EXP	21				25.1
32	LATX16D132W-50-3-2	21				24.5
33	FLLA16124LDH-51	23				19.9
34	Blue River 861	24				18.0
35	Blackland 2445	19				17.4
36	Blackland 2167	20				14.8
37	Dyna-Gro 9632	20				11.8
38	Blackland 2640 EXP	21				10.4
39	Pioneer P25R402	22				4.2
	LSD (0.05)	2	3.7	4.2	4.5	6.3
	CV (%)	6	10.7	10.7	9.9	12.3
	Mean	22	49.4	51.2	47.4	31.5

*Awnless Variety. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year, then 2026 yield averages.

[‡]4-year average based on 2022, 2023, 2025 and 2026 data.

Agronomic Information

Planting Date:	11-Nov
Seeding Rate (lbs/ac):	68
Harvest Date:	16-May
Previous Crop:	Corn
Radar Estimated Rainfall (in):	13.98"

Herbicides: Ally (0.1oz) and Amber (0.3oz) were applied on December 15th.

Huskie (11oz) and Axial Bold (15oz) were applied on January 13th.

Trial Notes:

1. The trial was located approximately 5.5 miles southwest of McGregor, TX.
2. The trial was fertilized prior to seeding at a rate of 19N, 64P. An additional 63N was applied on January 12th.
3. Average yield was 51% lower compared to 2025.

Cooperator: Texas A&M AgriLife

2026 Uniform Wheat Variety Trial: HRWW, Williamson County (Dryland)

Rank	Variety	Heading Date	Height (in)	Yield (bu/a)	Test Wt (lb/bu)	Protein (%)
1	LCS Brazos	89	20	36.5	57.8	13.2
2	Bob Dole	80	22	34.5	56.4	14.5
3	TX21M5445	85	22	34.4	58.8	14.5
4	AP Tango	80	19	33.8	56.0	13.9
5	Amigos	91	25	33.3	56.6	14.6
6	GoWheat 9216H	92	21	33.3	56.8	14.5
7	TX21A001421	92	21	32.7	57.9	14.0
8	Green Hammer	81	22	31.7	58.5	15.2
9	WB4347	92	23	31.5	58.3	13.2
10	WB4792	91	22	31.4	60.1	14.4
11	TX18DH287	92	25	31.2	57.5	13.3
12	Amigos/ TAM 116	90	24	31.2	57.5	15.2
13	High Cotton	79	20	29.1	57.4	13.7
14	TX20M4131	92	28	29.1	56.7	13.8
15	Gallagher	89	22	28.9	56.4	13.6
16	AP Sunbird	85	21	28.7	55.6	14.3
17	High Cotton/ Smith's Gold	79	21	27.8	55.9	14.8
18	OK21DTR1705-91	91	21	26.7	55.6	14.3
19	WB4523	76	17	26.3	55.0	13.8
20	TX18A001119	91	21	25.7	59.5	15.7
21	Smith's Gold	90	20	25.7	55.5	15.1
22	Trical Bighorn*	89	22	24.4	54.0	16.0
23	TX20A001186-1163*	92	24	23.2	55.8	16.1
24	WB4418	88	20	23.0	55.1	14.8
25	WB4418/ WB4523	78	18	22.7	55.1	14.7
26	TAM 116	89	24	21.2	57.8	14.1
27	TX21A001006-1122*	92	23	16.8	56.4	15.5
28	AP Prolific	93	21	10.2	51.6	15.1
29	Milestone	100	21	10.1	49.9	15.3
30	Ramsay	106	22	5.6	53.8	16.8
	LSD (0.05)	1	2	5.6	1.0	0.9
	CV (%)	1	8	14.9	1.2	4.3
	Mean	88	22	26.7	56.3	14.6

*Awnless Variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

†Varieties ranked according to 2026 yield averages.

§Varietal blends contained 50% of each variety listed.

Agronomic Information

Planting Date:	7-Nov
Seeding Rate (seed/ac):	750,000
Harvest Date:	29-May
Previous Crop:	Corn
Radar Estimated Rainfall (in):	17.91"

Herbicides: N/A

Trial Notes:

1. The trial was located approximately 7 miles northwest of Granger, TX.
2. Trial fertility was managed by the cooperator.
3. This was the first year for this trial site.
4. 14.23" of the 17.91" rainfall came after April 1st.

Cooperator: Adam Martinka

TEXAS A&M
AGRILIFE
 EXTENSION

2026 Uniform Wheat Variety Trial: SRWW, Williamson County (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)	Test Wt (lb/bu)	Protein (%)
1	TX20D5056	91	27	44.5	55.9	13.9
2	SC23W492	92	26	43.1	57.9	13.9
3	AGS 4043	89	20	39.5	57.0	14.2
4	USG 3246*	89	25	38.5	56.7	12.3
5	LA19333-NDH31	93	20	37.7	56.8	13.8
6	SC22W198	92	26	37.5	57.7	14.3
7	GA161243-15-5-8-23E47	83	25	37.3	56.4	14.7
8	TX20D5145	79	23	36.8	56.4	13.4
9	TX21D6180	88	26	36.7	58.2	13.9
10	GA161058-13-4-6-23E14	85	21	36.5	56.2	14.9
11	TX20D5116	75	22	35.9	57.4	13.1
12	AGS 3518	90	22	35.3	55.7	13.4
13	AGS 3022	84	19	35.3	58.1	12.5
14	GoWheat 6000	77	19	34.6	56.1	13.6
15	GA16388-8-3-7-23LE6	93	23	33.7	58.0	12.8
16	GA18117-58NCDH-23E37F	78	20	33.2	56.8	13.9
17	GA17034ID-22-3-5-23LE29	93	21	31.4	57.8	15.2
18	Blackland 2344	93	19	31.1	56.1	14.0
19	LAVT19VDH-FHB-MAS11-10	78	21	30.8	56.9	14.0
20	LA17006-LDH42	78	22	30.2	59.5	13.6
21	LA15093SB-30-3-3	77	22	29.3	56.7	13.4
22	USG 3354*	90	21	28.5	53.9	14.1
23	SCNC15305-43	98	23	27.6	53.8	16.0
24	Dyna-Gro 9623	76	19	27.3	58.4	13.4
25	SCLA19WF2110	92	23	27.3	57.0	14.6
26	FLLA16124LDH-51	83	22	26.3	57.8	12.5
27	FL180013-075	76	24	25.6	58.5	13.3
28	Blackland 2648 EXP	96	22	25.5	54.0	13.0
29	LATX16D132W-50-3-2	88	21	24.9	54.8	15.2
30	Dyna-Gro 9632	93	21	23.2	52.8	12.3
31	Dyna-Gro 9393	97	22	21.9	52.5	12.7
32	Blue River 861	95	24	19.6	51.0	14.0
33	Dyna-Gro 9172	96	22	19.0	52.9	13.4
34	Dyna-Gro 9593	100	23	15.2	50.2	13.7
35	Blackland 2167	96	21	13.6	52.0	14.1
36	Blackland 2445	92	22	13.5	52.1	12.1
37	Dyna-Gro 9151	98	23	12.8	53.1	16.3
38	Blackland 2640 EXP	94	26	11.2	52.5	12.6
39	Pioneer P25R402	101	21	8.3	51.3	15.1
	LSD (0.05)	3	2	6.3	1.0	1.0
	CV (%)	2	5	13.4	1.1	4.4
	Mean	89	22	28.7	55.6	13.8

*Awnless Variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

Agronomic Information

Planting Date:	7-Nov
Seeding Rate (lbs/ac):	68
Harvest Date:	29-May
Previous Crop:	Corn
Radar Estimated Rainfall (in):	17.91"

Herbicides: N/A

Trial Notes:

1. The trial was located approximately 7 miles northwest of Granger, TX.
2. Trial fertility was managed by the cooperator.
3. This was the first year for this trial site.
4. 14.23" of the 17.91" rainfall came after April 1st.

Cooperator: Adam Martinka

TEXAS A&M
AGRI LIFE
EXTENSION

2026 Uniform Wheat Variety Trial: HRWW, Muenster (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)				Test Wt (lb/bu)	Protein (%)
				4-Year [‡]	3-Year	2-Year	2026	2026	2026
1	AP Prolific	95	36	66.5	64.7	64.4	65.3	59.4	11.9
2	Amigos	94	40	65.7	60.5	57.4	61.7	57.9	13.2
3	WB4418	90	32	63.2	60.1	52.8	43.9	55.1	13.1
4	GoWheat 9216H	94	37	62.1	60.7	55.4	57.4	58.5	13.3
5	WB4523	88	29	61.6	58.5	52.4	54.6	54.6	12.3
6	Bob Dole	89	38	61.4	54.8	46.4	49.9	55.4	13.2
7	High Cotton	89	33		68.0	62.4	70.1	58.0	12.6
8	TX18A001119	94	36		60.6	56.0	58.9	61.6	13.3
9	TX18DH287	94	38		57.6	50.8	62.5	58.2	11.3
10	Smith's Gold	94	35		56.7	51.0	49.2	58.1	12.9
11	Gallagher	94	35		56.1	55.6	64.4	58.3	12.3
12	TAM 116	91	36			60.2	59.3	59.2	12.5
13	AP Sunbird	88	29			58.7	60.7	56.7	12.5
14	Amigos/ TAM 116	91	38			57.8	64.0	58.6	13.1
15	WB4418/ WB4523	90	33			57.7	58.4	56.0	12.7
16	High Cotton/ Smith's Gold	90	34			56.8	60.2	58.2	12.8
17	TX20M4131	96	38			53.3	58.2	60.3	11.6
18	Green Hammer	92	37			49.5	39.4	58.0	13.5
19	TX21A001421	95	37				75.5	59.9	11.8
20	OK21DTR1705-91	95	36				68.1	56.7	12.8
21	LCS Brazos	89	33				63.0	56.7	11.8
22	Trical Bighorn*	86	38				57.8	58.0	13.6
23	WB4792	90	37				55.1	60.4	12.3
24	TX21A001006-1122*	95	36				54.8	60.0	13.3
25	TX20A001186-1163*	97	37				54.5	57.8	13.3
26	WB4347	95	35				53.2	58.4	13.0
27	TX21M5445	86	36				52.9	59.5	13.2
28	AP Tango	93	34				50.5	53.7	12.0
29	Ramsay	--	33				35.5	58.4	12.7
30	Milestone	--	34				22.1	--	12.2
	LSD (0.05)	2	2	NS	6.4	7.8	12.2	1.5	0.7
	CV (%)	1	4	11.1	12.0	12.4	13.2	1.5	3.5
	Mean	92	35	63.4	59.9	55.5	56.0	58.0	12.7

*Awnless variety. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year then 2026 yield averages.

[‡]4-year average based on 2022, 2024, 2025 and 2026 data.

[§]Varietal blends contained 50% of each variety listed.

Agronomic Information

Planting Date:	5-Nov
Seeding Rate (seed/ac):	750,000
Harvest Date:	29-May
Previous Crop:	Corn
Radar Estimated Rainfall:	20.24"

Herbicides: N/A

Trial Notes:

1. The trial was located approximately 3 miles west of Gainesville, TX.
2. The trial was fertilized prior to seeding at a rate of 14N, 27P, 21K, 6S. Additional topdress was applied by the cooperator.
3. Average yield was 4% higher and test weight the same as the 2025 season.

Cooperator: Scott Hermis

2026 Uniform Wheat Variety Trial: SRWW, Muenster (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)			Test Wt (lb/bu)	
				4-Year [‡]	3-Year	2-Year	2026	2026
1	Blackland 2344	94	31	72.7	71.3	69.9	73.4	55.2
2	GoWheat 6000	87	32	72.2	71.5	69.2	72.7	51.7
3	Dyna-Gro 9393	95	32	69.9	67.1	62.8	65.2	50.7
4	Dyna-Gro 9172	96	34	63.7	60.1	56.3	57.4	53.9
5	AGS 3022	86	31		72.3	71.5	80.6	55.1
6	USG 3354*	91	33		72.0	65.5	71.1	52.6
7	TX20D5116	89	33		71.3	65.1	81.8	52.7
8	TX20D5145	97	35		68.9	62.8	82.8	55.5
9	TX20D5056	98	40		68.5	66.0	70.2	53.9
10	Dyna-Gro 9593	96	34		68.0	63.1	65.7	51.4
11	LA19333-NDH31	89	30			70.5	76.4	53.9
12	GA18117-58NCDH-23E37F	87	29			65.5	75.2	51.2
13	SCLA19WF2110	94	35			64.7	77.3	54.0
14	Dyna-Gro 9151	97	35			63.4	63.8	54.3
15	LA15093SB-30-3-3	91	32				97.1	54.2
16	AGS 4043	88	28				96.3	54.7
17	LATX16D132W-50-3-2	91	33				95.2	55.8
18	AGS 3518	87	31				91.8	55.5
19	LAVT19VDH-FHB-MAS11-10	86	31				87.3	55.0
20	GA16388-8-3-7-23LE6	91	34				84.4	56.4
21	USG 3246*	92	34				82.7	55.2
22	SCNC15305-43	96	35				82.4	57.9
23	TX21D6180	89	35				81.7	56.7
24	GA161058-13-4-6-23E14	91	32				81.4	54.1
25	Dyna-Gro 9632	92	34				80.1	51.5
26	GA17034ID-22-3-5-23LE29	92	31				79.7	55.7
27	FLLA16124LDH-51	86	29				78.5	53.5
28	SC22W198	86	36				74.4	54.5
29	Blue River 861	97	35				73.9	52.5
30	FL180013-075	89	34				73.8	53.6
31	Blackland 2648 EXP	95	32				72.1	54.4
32	LA17006-LDH42	92	34				69.5	54.2
33	Blackland 2167	95	32				63.5	52.7
34	Blackland 2640 EXP	96	34				63.2	51.7
35	Blackland 2445	92	30				62.3	50.3
36	GA161243-15-5-8-23E47	89	33				62.0	51.6
37	SC23W492	95	39				60.8	55.6
38	Dyna-Gro 9623	94	29				54.1	55.4
39	Pioneer P25R402	97	32				47.4	51.1
	LSD (0.05)	2	2	6.4	6.9	8.9	15.8	2.2
	CV (%)	2	4	11.1	10.4	11.1	13.0	2.5
	Mean	92	33	70.3	69.3	65.5	74.6	53.9

*Awnless variety. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 4-year, 3-year, 2-year then 2026 yield averages.

[‡]4-year average based on 2022, 2024, 2025 and 2026 data.

Agronomic Information	
Planting Date:	5-Nov
Seeding Rate (lbs/ac):	68
Harvest Date:	29-May
Previous Crop:	Corn
Radar Estimated Rainfall:	20.24"
Herbicides:	N/A

Trial Notes:

1. The trial was located approximately 3 miles west of Gainesville, TX.
2. The trial was fertilized prior to seeding at a rate of 14N, 27P, 21K, 6S. Additional topdress was applied by the cooperator.
3. Average yield was 33% higher and test weight 2lb/bu less compared to the 2025 season.

Cooperator: Scott Hermis

TEXAS A&M
AGRILIFE
EXTENSION

2026 Uniform Wheat Variety Trial: HRWW, Temple (Dryland)

Rank [†]	Variety [§]	Heading Date	Height (in)	Yield (bu/a)		Test Wt (lb/bu) 2026	Protein (%) 2026
				2-Year	2026		
1	TX20M4131	96	22	40.1	33.9	59.6	11.4
2	Gallagher	96	16	39.7	29.3	59.0	12.7
3	AP Sunbird	91	17	38.3	26.4	56.6	12.6
4	GoWheat 9216H	93	20	36.7	26.8	57.5	13.3
5	Bob Dole	91	20	36.1	25.5	56.4	13.0
6	WB4418	93	19	35.8	23.6	56.6	13.5
7	High Cotton/ Smith's Gold	90	17	35.4	20.7	56.7	14.3
8	TX18DH287	98	23	35.2	29.4	59.4	12.5
9	Amigos/ TAM 116	95	23	34.9	22.5	59.0	14.0
10	Amigos	98	23	34.7	31.6	58.2	13.6
11	Smith's Gold	94	18	34.0	21.0	56.7	14.2
12	High Cotton	85	16	32.9	20.8	58.2	13.2
13	Green Hammer	92	18	32.1	17.3	56.7	13.9
14	WB4418/ WB4523	90	13	32.1	17.6	55.2	13.4
15	TX18A001119	95	19	31.5	16.1	58.4	15.1
16	TAM 116	93	21	30.4	17.6	59.5	13.4
17	WB4523	89	11	30.0	13.3	54.4	13.2
18	AP Prolific	101	21	26.2	9.2	54.4	14.0
19	WB4347	97	24		31.0	59.6	12.6
20	LCS Brazos	92	18		30.7	58.6	11.6
21	TX21A001421	97	21		27.2	59.6	12.8
22	OK21DTR1705-91	95	18		27.2	56.3	13.2
23	TX21M5445	91	18		26.5	59.0	13.0
24	AP Tango	93	16		23.6	55.3	12.3
25	Trical Bighorn*	93	19		22.4	56.5	14.4
26	WB4792	95	20		19.2	59.3	14.0
27	TX20A001186-1163*	101	22		19.0	55.9	14.9
28	TX21A001006-1122*	98	20		10.7	56.6	14.9
29	Milestone	108	20		6.6	52.2	13.0
30	Ramsay	108	25		4.9	48.7	16.0
	LSD (0.05)	2	2	4.1	4.3	1.0	0.6
	CV (%)	1	8	12.5	13.9	1.3	3.0
	Mean	95	19	34.2	21.7	57.0	13.5

*Awnless Variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 2-year then 2026 yield averages.

[‡]2-year average based on 2025 and 2026 data.

[§]Varietal blends contained 50% of each variety listed.

Agronomic Information

Planting Date:	17-Nov
Seeding Rate (seed/ac):	750,000
Harvest Date:	26-May
Previous Crop:	Wheat
Radar Estimated Rainfall (in)	17.0"

Herbicides: Talinor (15oz) and Axial Bold (15oz) were applied on January 20th.

Trial Notes:

1. The trial was located approximately 3 miles south of Temple, TX.
2. No preplant fertilizer was applied. A total of 85N was topdressed on January 13th.
3. Average yield was 51% lower and test weight 1.6 lb/bu less compared to 2025.
4. 11.2" of the 17" of rainfall came after April 1st.

Cooperator: Blackland Research Center

2026 Uniform Wheat Variety Trial: SRWW, Temple (Dryland)

Rank [†]	Variety	Heading Date	Height (in)	Yield (bu/a)		Test Wt (lb/bu)	Protein (%)
				2-Year	2026	2026	2026
1	LA19333-NDH31	94	15	35.8	25.7	56.4	14.5
2	Blackland 2344	94	19	35.4	30.8	56.9	14.0
3	AGS 3022	88	16	35.0	29.4	58.2	12.6
4	TX20D5116	85	14	33.3	22.5	57.5	12.8
5	GA18117-58NCDH-23E37F	86	15	32.5	27.9	54.9	14.9
6	TX20D5056	101	23	32.0	31.0	57.2	13.6
7	GoWheat 6000	90	15	31.5	21.3	57.6	13.5
8	USG 3354*	95	16	30.9	23.1	55.7	13.9
9	SCLA19WF2110	100	19	30.7	25.0	56.9	14.6
10	Dyna-Gro 9593	105	24	30.6	30.5	52.1	13.3
11	Dyna-Gro 9393	102	22	29.9	21.9	54.7	13.4
12	TX20D5145	91	17	28.9	27.0	56.2	13.8
13	Dyna-Gro 9151	104	23	25.8	11.7	54.1	13.4
14	Dyna-Gro 9172	106	22	18.2	11.2	55.7	12.2
15	SC23W492	93	23		37.5	57.2	14.4
16	AGS 4043	92	15		35.5	54.6	14.1
17	SC22W198	98	21		34.3	56.0	14.2
18	LA17006-LDH42	90	17		30.5	59.1	13.3
19	TX21D6180	93	21		30.3	58.4	13.1
20	Blackland 2648 EXP	102	22		28.5	54.8	13.4
21	GA161058-13-4-6-23E14	94	17		28.0	56.0	14.4
22	GA161243-15-5-8-23E47	93	21		27.9	57.3	12.6
23	GA16388-8-3-7-23LE6	95	18		27.5	56.0	12.6
24	AGS 3518	96	18		27.5	55.1	13.5
25	USG 3246*	92	20		26.9	50.4	14.1
26	Dyna-Gro 9623	86	13		26.9	57.7	13.7
27	SCNC15305-43	104	24		26.2	54.0	15.6
28	GA17034ID-22-3-5-23LE29	96	20		25.8	57.7	14.0
29	FLLA16124LDH-51	87	15		25.1	57.9	13.0
30	Blackland 2167	102	21		23.5	57.6	13.8
31	LATX16D132W-50-3-2	96	17		22.8	54.5	14.2
32	LAVT19VDH-FHB-MAS11-10	89	16		22.6	51.8	14.5
33	LA15093SB-30-3-3	96	13		20.9	57.4	12.9
34	Blackland 2445	98	20		19.9	58.3	12.1
35	Blue River 861	105	27		19.7	52.0	14.1
36	FL180013-075	89	17		18.7	57.6	13.7
37	Blackland 2640 EXP	103	23		15.3	56.1	13.0
38	Dyna-Gro 9632	97	19		13.8	52.4	12.5
39	Pioneer P25R402	108	23		10.5	52.1	14.9
	LSD (0.05)	2	2	4.7	5.1	2.5	1.4
	CV (%)	2	8	14.6	12.7	2.7	6.2
	Mean	96	19	30.7	24.7	55.8	13.6

*Awnless Variety. Yields adjusted to standard moisture of 13.5%. **Bolded** values indicate top group based on LSD.

[†]Varieties ranked according to 2-year then 2026 yield averages.

[‡]2-year average based on 2025 and 2026 data.

Agronomic Information

Planting Date:	17-Nov
Seeding Rate (lbs/ac):	68
Harvest Date:	26-May
Previous Crop:	Wheat
Radar Estimated Rainfall (in)	17.0"

Herbicides: Talinor (15oz) and Axial Bold (15oz) were applied on January 20th.

Trial Notes:

1. The trial was located approximately 3 miles south of Temple, TX.
2. No preplant fertilizer was applied. A total of 85N was topdressed on January 13th.
3. Average yield was 30% lower and test weight 1.5 lb/bu less compared to 2025.
4. 11.2" of the 17" of rainfall came after April 1st.

Cooperator: Blackland Research Center